

VIRUS ARMOR

NANO-Tech Air Sterilizer LED Panel

www.virusarmor.com

4924 Cambridge Rd,
Fort Worth, Texas, 76155, USA
1 855-929-8879

orders@virusarmor.com



NANO-TECH AIR STERILIZER LED PANEL

EPA REGISTERED

NANO-TECH AIR STERILIZER LED PANEL



Features


- kills Viruses, Bacteria & Germs in room air.
- Uses Nanotechnology to clean room air.
- Purifies & Eliminates the VOC concentration.
- Available in 4000K & 5000K.
- Widely used for ambient lighting application.
- Battery Backup is optional.

Specifications


Wattage:	50W
CCT:	4000K / 5000K
Current:	0.5A (max)
THD:	<20%
Power Factor:	> 0.95
Efficacy:	Upto 130 lm/W
Input Voltage:	120 -277 VAC
Battery Backup:	Optional
Dimmable:	0-10V
UPC No:	632726173647

Specifications for Filter and Air Circulating Industrial Fan.

- Air changes to fan per hour: 5300 cubic feet (5300 cubic feet per hour)



- Nanotech material sprayed on the outside surface of panel will kill bacteria on contact, (as air is always moving & floating). This is done by an electric charge on material surface.
- Filter Replacement Indicator: Filters must be replaced at 2160 working hours. The led indicator light will light up automatically, when time is reached.
- After replacing with new filters, press the reset button, working hours will reset to zero.



Silver ion reacts with hydrogen sulfide ion in bacteria and inhibits its reproduction; producing superoxide free radicals and breaking down bacteria.